HAND DRYERS

Project Guide | britex.com.au



Air Jet Hand Dryer



The BRITEX Air Jet Automatic Hand Dryer Stainless Steel Finish is manufactured from grade 304 satin finish SS.

The unit utilises an entirely touch free activation and dries hands in just 15 seconds, making the design significantly more environmentally friendly and hygienic than other hand dryers. The high speed, brushless motor ensures longevity for application in high volume use areas.

The Air Jet Automatic Hand Dryer is designed to be wall mounted.

Rated Voltage	AC220-240V
Rated Frequency	50/60HZ
Rated Power	1650W
Motor Power	800W
Weight	13KG
Waterproof Grade	IPX1
Heating Conditions	Ambient Temperature <25°C
Air Speed	95m/s
Drying Time	6-9s
Overall Size (mm)	300x222x730



Air Jet Hand Dryer


*Click on the code below for technical information

Air Jet Automatic Hand Dryer



BTX-01-030

Air Jet Automatic Hand Dryer Stainless Steel Finish





Automatic Hand Dryers

Note: Unit can be hard wired by electrician or used with cord and plug provided.

Stainless Steel



283

BTX-01-024

Stainless Steel Slimline Automatic Hand Dryer


NET WEIGHT 6kg | SIZE W 268 x H 273 x D 100mm

Extremely compact, high-speed hand dryer suited to a wide range of project applications. Anti-vandal, slim profile hand dryer that projects only 100mm off the wall and dries hands in less than 15 seconds.

ADDITIONAL FEATURES:

- Drying time: <15 seconds
- Casing: 1.2mm Satin S.S.
- Motor: 200W, 7,500 RPM. 105°C auto resetting safety overload
- Power: 240V, 50Hz, 2000W, 9.2A
- Sound Level: 70db (+/- 3)
- Warm Air Speed: 10.8 m/s | Warm Air Temp: Ambient + 20°C
- Drip Proof Rating: IPX 1
- Sensor/Range: Infrared. 100-300mm adjustable. Shipped at 180mm.
- Overload protection. 60sec auto shut off.
- Theft-resistant screws.





BTX-01-028

Stainless Steel Curved Slimline Automatic Hand Dryer

NET WEIGHT 3.8kg | SIZE W 276 x H 216 100mm

ADDITIONAL FEATURES:


- Material 1.2mm #304 Satin Stainless Steel
- Features Contemporary curved design with Patented high-flow dual air outlets
- Motor 250-500W Brush Type: Dual Ball Bearings 15,000-26,000 RPM
- 95°C auto reset overload
- Power Use 240V, 50Hz, 1000W, 4.17A
- Sound Level 75db (+/- 3)
- Drying time Less than 15 seconds
- DP Rating IP 24
- Element 500W
- Heater 85°C auto resetting thermostat 105°C auto reset safety cut off
- Warm Air Speed: 35-70m/s (adjustable) | Temp: Ambient +25°C
- Protection 60 sec power cut off, auto reset
- Sensor/Range Infrared Automatic 152mm +/-20mm
- preset Blue LED indicates operation/range
- Case Security 2 SS theft resistant hex drive screws (hex key supplied)

6 BRITEX

Automatic Hand Dryers

Note: Unit can be hard wired by electrician or used with cord and plug provided.

SS - White Powder Coat



BTX-01-027


White Powder Coat Curved Slimline Automatic Hand Dryer

NET WEIGHT 3.8kg | SIZE W 276 x H 216 x D 100mm

ADDITIONAL FEATURES:

- Material 1.2mm White Powder Coated Steel
- Features Contemporary curved design with Patented high-flow dual air outlets
- Motor 250-500W Brush Type: Dual Ball Bearings 15,000-26,000 RPM
- 95°C auto reset overload
- Power Use 240V, 50Hz, 1000W, 4.17A
- Sound Level 75db (+/- 3)
- Drying time Less than 15 seconds
- DP Rating IP 24
- Element 500W
- Heater 85°C auto resetting thermostat 105°C auto reset safety cut off
- Warm Air Speed: 35-70m/s (adjustable) | Temp: Ambient +25°C
- Protection 60 sec power cut off, auto reset
- Sensor/Range Infrared Automatic 152mm +/-20mm preset Blue LED indicates operation/range
- Case Security 2 SS theft resistant hex drive screws (hex key supplied)

White ABS



BTX-01-025

'Tranquil' Automatic White ABS Hand Dryer (Low Volume)

NET WEIGHT 3.8kg | SIZE W 268 x H 220 x D 170mm

High speed automatic hand dryer with a low sound volume level at only 55 decibels, one of the quietest hand dryers on the market.

ADDITIONAL FEATURES:

- Casing 3.0mm White High Grade Fire Retardant ABS
- Motor 80W Brushless, 2850 RPM 105°C auto reset overload
- Power Use 240V, 50Hz, 1800W, 7.50A
- Sound Level 55db (+/- 3)
- Drying time 25-30 seconds | DP Rating IPX 1
- Heater 87°C auto resetting thermostat
- 142°C auto reset safety cut off
- Warm Air Speed: 14.5m/s | Temp: Ambient +28°C
- Protection 60 sec power cut off, auto reset
- Timing 2 sec delay turn off after last read
 - Sensor/Range Auto Infrared 180mm +/-20mm pre set, 100 - 300mm adjust
 - Case Security 2 SS theft resistant hex drive screws (hex key supplied)



